Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3393	(execut$3 with object) and structure and ((input or enter or entry) with parameter$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L2	264	L1 and (business with rules)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L3	39	L2 and @ad<"19981211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L4	1	L3 and (707/102).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:44
L5	0	L3 and ("709.318").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
L6	0	L3 and ("707/104").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
L7	4	L3 and ("705/1").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 16:45
S1	2	("6338069").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:56
S2	1	"6263313".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:32

S3	1	"6253239".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S4	1	"6226628".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S5	1	"6226788".PN.	USPAT; USOCR	OR	OFF	2005/03/11 14:33
S6	3393	(execut$3 with object) and structure and ((input or enter or entry) with parameter$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:58
S7	264	S6 and (business with rules)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:59
S8	39	S7 and @ad<"19981211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:26
S9	0	S8 and (707/103.r).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S10	0	S8 and (707/103.x).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S11	0	S8 and (707/103.y).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00
S12	0	S8 and (707/103.z).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:00

S13	0	S8 and (miss$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S14	0	"017319".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:04
S15	1	S8 and (miss$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:04
S16	0	S8 and (miss$3 with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S17	1	S7 and @ad<"19981211" and (relationship with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:27
S18	2	S7 and @ad<"19981211" and (relation$4 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30
S19	0	S7 and @ad<"19981211" and (relat6$4 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30
S20	20	S7 and @ad<"19981211" and (relat$6 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:30

Google™

"business rules" "execution object" input pa [Search]   Advanced Search
Preferences

Web Results **1 - 3** of **3** for **"business rules" "execution object" input parameters missing value**. (0.

Tip: Try removing quotes from your search to get more results.

[PDF] ILOG JRules 4.6.2 Overview
File Format: PDF/Adobe Acrobat - View as HTML
... placeholders for **missing** information. Templates can be used to create many
rules with a ... of **business rules** 37. **eXecution Object** Model, see XOM ...
infolab.fri.uni-lj.si/marko/downloads/overview.pdf - Similar pages

**[PS]** Relational and Object-Oriented Databases by Willi-Hans Steeb ...
File Format: Adobe PostScript - View as Text
... of situations where data may not be available: a null **value** indicates that a
value is **missing**. ... **Input** arguments can be either literals or **parameters**. ...
issc.rau.ac.za/downloads/db.ps - Similar pages

From owner-sqr-users@list.iex.net Tue Jun 30 19:37:39 1998 Date ...
... If anyone else has any **input** on this subject, please add to it. ... Embed the
InSQRibe ActiveX remote **execution object** into my Forms 5.0 application. 2. ...
www.sqrug.org/sqr-users/sqrusers_98q2/sqrusers_98q2.txt - 522k - Cached - Similar pages

Free! Get the Google Toolbar. Download Now - About Toolbar

Google ▾ | [   ] ▾ | 🔍 Search Web ▾ | 🗐 | PageRank 🔲 3 blocked | 📋 AutoFill | 📋 Option

"business rules" "execution objec [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Google

"business rules" function execution object | **Search** | Advanced Search
Preferences

Web Results **1** - **10** of about **630** for "**business rules**" **function** **execution** **object** "**object oriented**" re

Glossary of Terminology
... This **relationship** is paralleled in an **Object Oriented** (OO) environment ...
Parameter, A **value** passed to a program or **function** via an operation/method. ...
www.hitis.org/technicalcomm/glossary.htm - 41k - Cached - Similar pages

Glossary
... It is similar to a data structure that contains both **input parameters** and return
... of client/server applications based on **object-oriented** technology. ...
msdn.microsoft.com/library/en-us/ his_2004main/htm/his_glossary_pbjw.asp - 131k -
Cached - Similar pages

Section 3: Developing Service-Oriented Architectures (Visual ...
... organizational functions and, when exposed to each other, business relationships.
... to programmers working in an **object-oriented** Windows environment. ...
msdn.microsoft.com/library/ en-us/dnvsent/html/FoodMovers3.asp - 86k -
Cached - Similar pages

[PDF] Hospitality Industry Interface Standards Project
File Format: PDF/Adobe Acrobat - View as HTML
... This **relationship** is paralleled in an **Object Oriented** (OO) environment by ...
A **value** passed to a program or **function** via an operation/method. ...
www.clairvoyix.com/files_doc/terminology1.pdf - Similar pages

Future Fab Intl.
... is constructed from an **input**-queue, an **execution**-queue and an **output**-queue.
... Michael Blaha; William Premerlani: **Object** Oriented Modeling and Design; ...
www.future-fab.com/documents.asp?grID=212&d_ID=1229 - 97k - Cached - Similar pages

[PPT] **Object** Oriented Analyis & Design Training Agenda
File Format: Microsoft Powerpoint 97 - View as HTML
... **Object-oriented** design (OOD) – an approach used to specify the software ...
2 functions in which the **output** from the first one is used as the **input** to ...
as.nida.ac.th/resource/ppt/614/chap018-1.ppt - Similar pages

[PDF] 26. Legacy Systems
File Format: PDF/Adobe Acrobat - View as HTML
... of today's legacy systems were designed before **object-oriented** development
... Batch processing systems Data is **input** and **output** in batches from a file ...
www.comp.lancs.ac.uk/computing/resources/ IanS/SE7/ElectronicSupplements/LegacySys.pdf -
Similar pages

Glossary
... **Output parameters** returned by an ODS Library **function** to the client. ...
the **execution** of Transact-SQL statements that create database objects or ...
www.schemamania.org/jkl/ booksonline/SQLBOL70/html/gloss01.htm - 198k - Cached - Similar pages

Cobol Plus XML
... The **parameters** can be **input**, **output** or inout, thus going in both directions
... of the **parameters** are dedicated to the **execution** of the target **function**. ...
objectz.com/columnists/harry/11202000.htm - 25k - Cached - Similar pages

[PDF] Jeffrey A
File Format: PDF/Adobe Acrobat - View as HTML
... **object-oriented** development (OOD) methods, intended for use in ... target **object**,
operation, and all **parameters** (**input** and **output**) of every type that ...
www.jeffkrukin.com/ EAI%20and%20Attachmate%20Pt.%202%20%209-00.pdf - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer. Download now.

Find: ☑ emails - 📄 files - 👤 chats - 🌐 web history - ♪ media - 📄 PDF

"business rules" function executio Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google™

"business rules" function execution object [Search]   Advanced Search
Preferences

Web Results **1 - 2** of **2** for **"business rules"** **function** **execution** **object** **"object oriented"** **"input/outp**

Tip: Try removing quotes from your search to get more results.

[DOC] Software evolution is a significant problem
File Format: Microsoft Word 2000 - View as HTML
... but they still exist in the abstract sense of an **input-output relationship**.
... depending on whether a platform-independent or **object-oriented** solution ...
www.itee.uq.edu.au/~hearnden/ _deltaware/ConfirmationReport.doc - Similar pages

[PS] EAGLES Evaluation of Natural Language Processing Systems EAGLES ...
File Format: Adobe PostScript - View as Text
... We describe evaluation as a **function** relating objects and users to something we
... and presupposes a certain knowledge of **object** oriented programming. ...
www.ilc.cnr.it/EAGLES96/pub/eagles/evaluation/ewg95.ps - Similar pages

Free! Google Desktop Search: Search your own computer. Download now.

Find: ✉ emails - 📄 files - 👥 chats - 📰 web history - ♪ media - 📄 PDF

"business rules" function executio[Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google™

"business rules" "unique key" function exec [Search]   Advanced Search
Preferences

Web Results **1 - 10** of about **59** for **"business rules" "unique key" function execution object "objec**

Glossary
... **Output parameters** returned by an ODS Library **function** to the client. ...
the **execution** of Transact-SQL statements that create database objects or ...
www.schemamania.org/jkl/ booksonline/SQLBOL70/html/gloss01.htm - 198k - Cached - Similar pages

[DOC] Business-Centric Methodology (BCM)
File Format: Microsoft Word 97 - View as HTML
... eg understanding and relying on classes in an **object-oriented** system. ...
The declarative approach states the **input** and **output** path locations. ...
www.businesscentricmethodology.com/.../content. asp?document=%2FCMS%2Fdocuments%
2FBCMexplained.2003-04-23.doc - Similar pages

OODML.HOW
... commands just plain do not work with an **object-oriented** language - no matter how
... **Input** only, **Output** only (in which case you put in a dummy **value** to ...
www.dbase.com/Knowledgebase/beg/oodml_how/oodml_how.htm - 131k - Cached - Similar pages

SQL Server 7.0: Glossary
... **Output parameters** returned by an ODS Library **function** to the client. ...
It also supports **object-oriented** applications by treating all files as objects ...
www.microsoft.com/resources/documentation/ sql/7/all/proddocs/en-us/intro/75515glo.mspx - 179k -
Cached - Similar pages

What is/is not considered to be good OO programming
... up of separate objects which contain all the **business rules** for individual
... it ever be necessary to adjust the data before it is **input** or **output** you ...
www.tonymarston.net/php-mysql/good-bad-oop.html - 137k - Cached - Similar pages

Glossary
... optional **input parameters**, and returns a status and optional **output parameters**.
... An **object-oriented** schema that defines meta data constructs used to ...
doc.ddart.net/mssql/sql2000/html/basics/gloss.htm - 386k - Cached - Similar pages

Migrating to the .NET Framework
... Every transfer is an **output** from one device and an **input** into another. ...
managed **execution** environment, integrated security, and **object-oriented** ...
www.watchit.com/PGDSCR.cfm?c_ acronym=MINF&programPageDisplay=Glossary - 513k -
Cached - Similar pages

Microsoft .NET: Impact on IT
... managed **execution** environment, integrated security, and **object-oriented** ...
incapable of the common character-at-a-time **input** and **output** operations. ...
www.watchit.com/PGDSCR.cfm?c_ acronym=MSNI&programPageDisplay=Glossary - 505k
- Cached - Similar pages
[More results from www.watchit.com]

Introduction to the Oracle Server
... of your relational data, or you can go over to an **object-oriented** approach
entirely. **...** except that functions always return a single **value** to the user. **...**
www.stanford.edu/dept/itss/docs/ oracle/9i/server.920/a96524/c01_02intro.htm - 223k -
Cached - Similar pages

[PDF] Section 1: Why Use a Web Database?
File Format: PDF/Adobe Acrobat - View as HTML
... Missing or incorrect **business rules**. Many businesses have strict rules that
... measures and HTTP-NG, a completely new, **object**-oriented architecture for **...**
www.cit.cornell.edu/atc/ materials/old/dbdesign/dbdesign.pdf - Similar pages

Goooooogle ▶

Result Page: **1** 2 3 4 5 6   **Next**

Free! Google Desktop Search: Search your own computer. Download now.

Find: ☑ emails - ▤ files - ♟ chats - ▨ web history - ♪ media - ▨ PDF

    "business rules" "unique key" func   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google